

## **BCA SLEB Building Energy Information Template**

Data Term	Option List
Building Status	☐ Existing Building
	☐ New Development
Building Name	
Postal Code	
Building Address	
Building Type	□ Office Building
	□ Retail Building
	☐ Mixed Development
	□ Hotel
	☐ Educational Institution
	☐ Healthcare Facility
	☐ Residential Building
	□ Other
Gross Floor Area	
Building Site Area	
Building Size	□ Large
	□ Small
Year Obtained TOP/CSC	
Number of Storeys	
Average Monthly Building	
Occupancy Rate (%)	
Year of Last Major	
Renovation/Retrofitting	
Type of Major	☐ Building Extension/Additions & Alterations
Renovation/Retrofitting	☐ Change of Façade
	☐ Replace of Air Conditioning System
	☐ Change of Light Fittings
Year of Building	
Extension/Additions &	
Alterations	
Year of Change of Façade	
Year of Change of Building	
Cooling System	
Year of Change of Light	
Fittings Croop Mark Status	Croop Mark Building
Green Mark Status	☐ Green Mark Building
	□ Non-Green Mark Building
SLE Status	☐ SLE Building
	□ Non-SLE Building



Green Mark Rating	□ Platinum
	□ GoldPlus
	□ Gold
	□ Certified
Green Mark Year of Award	
Building Energy Use Intensity	
2018 Energy Use Intensity	
2017 Energy Use Intensity	
2016 Energy Use Intensity	
2015 Energy Use Intensity	
Percentage of Air-	
conditioned Floor Area	
Total Building Cooling Load	
Specific Building Cooling Load	
Air Conditioning System Type	□ District Cooling System
	☐ Water Cooled Chilled Water Plant
	☐ Air Cooled Chilled Water Plant
	☐ Unitary Air Conditioning System
District Cooling System	
Water Cooled Chilled Water	
Plant	
Air Cooled Chilled Water	
Plant	
Unitary Air Conditioning	
System	
Air Conditioning System	
Efficiency	
Chiller Efficiency	
Number of Chillers	
Age of Newest Chiller/Air-	
Conditioner	_ AUU
Air Distribution System Type	□ AHU
	□ FCU
Air Distribution Contain	□ Others
Air Distribution System	
Efficiency  Ruilding Lighting Rower	
Building Lighting Power	
Density	



Primary Lighting Type	☐ Compact Fluorescent Lamps
	☐ Fluorescent T12 Tube
	□ Fluorescent T8 Tube
	□ Fluorescent T5 Tube
	□ LED
	□ Others
Percentage Usage of LED	
Luminaire & Lamp Type	□ Downlight
	□ Troffers
	□ Spot, Accent & Track
	□ Pendants
	☐ Replacement Lamp/Bulb
	□ Replacement T8 LED Tube
	□ Replacement T5 LED Tube
	□ High Bay
	□ Others
ETTV/RETV	
Glass Type	□ Low-e Glazed Glass
	□ Laminated Glass
	☐ Single Glazed Glass
	□ Double Glazed Glass
	☐ Triple Glazed Glass
	☐ Thermochromic Glass
	□ Electrochromic Glass
	□ Others
Window to Wall Ratio	
Installation of Hot Water	□ Yes
System	□ No
Type of Water Heater	□ Heat pump
	□ Electric Water Heater
	☐ Gas Water Heater
	□ Oil Water Heater
Coefficient of Performance	
(COP) of Water Heater	
Installation of Solar PV	□ Yes
	□ No
Annual Renewable Energy	
Generated/Used	
Percentage of Renewable	
Energy Generated/Used	
Rooftop Solar Panel Installed	
Capacity	
Available Rooftop Area for	
Solar Panels	



Green Features	☐ Energy Efficient Air Conditioning System
	☐ Energy Efficient Air Distribution System
	□ Energy Efficient Lighting
	☐ Chiller Plant Control and Optimization
	☐ Air Distribution System Control and Optimization
	☐ Smart Lighting Control
	☐ Smart Plug Load Control
	☐ Integrated Building Energy Management System
	□ Rooftop Solar Panels
	☐ Building-integrated Photovoltaic (BIPV)
	□ Energy Efficient Hot Water System
	☐ Good Indoor Environmental Quality
	□ Natural Ventilation Design
	☐ Energy Efficient Glass
	☐ Energy Efficient Wall Materials
	□ Sun-shading
	☐ Maximum Use of Daylighting
	□ Cool Paint
	□ Extensive Greenery